




**Oshkosh Spoons**

Catalog No.	Size/Description
2023	ASH 7' WP
2023E	ASH 7' EP
2023EH	MAPLE 7' EP
2023H	MAPLE 7' WP
2024	ASH 8' WP
2024E	ASH 8' EP
2024EH	MAPLE 8' EP
2024H	MAPLE 8' WP
2025	ASH 9' WP
2025E	ASH 9' EP
2025EH	MAPLE 9' EP
2025H	MAPLE 9' WP
2026	ASH 10' WP
2026E	ASH 10' EP
2026EH	MAPLE 10' EP
2026H	MAPLE 10' WP
2026TS	10' WP 2 SEC
2027	ASH 12' WP
2027E	ASH 12' EP
2027EH	MAPLE 12' EP
2027H	MAPLE 12' WP
2027TS	12' WP 2 SEC

**Oshkosh Digging Bars**

Catalog No.	Size/Description
852	9' DIGGING SPUD W/TAMPER
852-6	6' DIGGING SPUD W/TAMPER
852-8	8' DIGGING SPUD W/TAMPER
852-102	DIGGING SPUD W/PIPE CAP
1061	CROW & DIGGING 1" X 7'
1062	CROW & DIGGING 1" X 8'
1063	CROW & DIGGING 1" X 6'
1064	CROW & DIGGING 1-1/8" X 7'
1065	CROW & DIGGING 1-1/8" X 8'
1066	CROW & DIGGING 1-1/8" X 9'
1067	CROW & DIGGING 1-1/8" X 10'
1068	CROW & DIGGING 1-1/8" X 12'
1071	TAMP & DIGGING 1" X 7'
1072	TAMP & DIGGING 1" X 8'
1074	TAMP & DIGGING 1-1/8" X 7'
1075	TAMP & DIGGING 1-1/8" X 8'
4278	PENCIL POINT 1-1/4" X 6'
1081	PLAIN DIGGING 1" X 7'
1082	PLAIN DIGGING 1" X 8'
1084	PLAIN DIGGING 1-1/8" X 7'
1085	PLAIN DIGGING 1-1/8" X 8'



Oshkosh Post Hole Diggers	
Catalog No.	Size/Description
2050S	SPLIT HANDLES 8'-SAND POINT
2050-6	SPLIT HANDLES 6'
2050-7	SPLIT HANDLES 7'
2050	SPLIT HANDLES 8'
2050-9	SPLIT HANDLES 9'
2050-10	SPLIT HANDLES 10'
2050-12	SPLIT HANDLES 12'
2051-6	SOLID HANDLES 6'
2051-7	SOLID HANDLES 7'
2051	SOLID HANDLES 8'
2051-9	SOLID HANDLES 9'
2051-10	SOLID HANDLES 10'
2051-12	SOLID HANDLES 12'

Oshkosh Tamp Bars	
Catalog No.	Size/Description
1044	8' STEEL
854	7' LIGHT
855	8' LIGHT
856	9' LIGHT
857	10' LIGHT
1054	7' HEAVY
1055	8' HEAVY
1056	9' HEAVY
1057	10' HEAVY
1058	12' HEAVY
1054EHT	7' EX HEAVY
1055EHT	8' EX HEAVY
1056EHT	9' EX HEAVY
3698-7	7' CURVED
3698-8	8' CURVED
3698-9	9' CURVED
3698-10	10' CURVED

**Replacement parts are available for all digging tools upon request**



- Oshkosh Cant Hooks are made with thick hardwood handles and high-carbon steel hooks which are heat treated and 100 percent tested.

- hook stop is designed to prevent the hook from falling back and damaging the handle.

- Any hook can be placed on any handle.

- Swivel Point Cant Hooks are designed to not scar the pole.

**Oshkosh Cant Hooks**

Catalog No.	Size/Description	Hook
195A	2-1/4" X 2'	479
4653	2-1/4" X 2' SW PT	4025
196A	2-1/4" X 2-1/2'	479
199C	2-1/4" X 3'	479
263C	2-1/4" X 3' STEEL CLIP	479
199B	2-1/4" X 3-1/2'	479
263B	2-1/4" X 3-1/2' STEEL CLIP	479
3989	2-1/4" X 4' SW PT	4025
199A	2-1/4" X 4'	479
199A-5	2-1/4" X 4'	LTC-5
199A-7	2-1/4" X 4'	LTC-7
263A	2-1/4" X 4' STEEL CLIP	479
3990	2-1/4" X 4-1/2' SW PT	4025
200A	2-1/4" X 4-1/2'	479
200A-5	2-1/4" X 4-1/2'	LTC-5
200A-7	2-1/4" X 4-1/2'	LTC-7
264A	2-1/4" X 4-1/2' STEEL CLIP	479
199	2-1/2" X 4'	480
3994	2-1/2" X 4' SW PT	4025
199-483	2-1/2" x 4'	483
199-5	2-1/2" x 4'	LTC-5
199-7	2-1/2" x 4'	LTC-7
200	2-1/2" X 4-1/2'	480
3995	2-1/2" X 4-1/2' SW PT	4025
200-484	2-1/2" X 4-1/2'	484
200-5	2-1/2" X 4-1/2'	LTC-5
200-513	2-1/2" X 4-1/2' W/ 513 EXTENDED TOE	480
200-7	2-1/2" X 4-1/2'	LTC-7
201	2-1/2" X 5'	480
201-484	2-1/2" X 5'	484
203	2-3/4" X 4-1/2'	483
204	2-3/4" X 5'	483
204-4645	2-3/4" X 5'	4645
206	2-3/4" X 6'	483
206-4645	2-3/4" X 6'	4645
206-484	2-3/4" X 6'	484



Dixie Industries Cant Hooks			
Catalog No.	Handle Length	Duckbill Hook Length (in.)	For Log Sizes: (in.)
06230	3-1/2	7/16 x 7/8 x 8	6 to 16
06240	4	7/16 x 7/8 x 8	6 to 16
06250	4-1/2	1/2 x 1 x 9	8 to 24
06260	5	1/2 x 1 x 9	8 to 24



- Handles are top quality White Mountain Hickory hardwood air dried to 18% moisture content.
- Precision cut to an exact fit.
- Duckbill Hooks are drop forged with the bills ground to a fine point.
- Clasps and extension toe rings are ductile iron castings for long lasting service.

Dixie Industries Skidding Tongs - Ring Only		
Catalog No.	Diameter & Max Opening (in.)	Ring Size (lbs.)
40005	3/4 X 16	1/2
42315	1 X 20	5/8
40225	1 X 25	5/8
40455	1 1/4 X 32	7/8
40555	1 1/2 X 36	1

• Skidding Tongs are upset forged from round steel to position additional steel at critical stress areas.

• Points are fine ground to assure long lasting sharpness.

• Two configurations are available, Tong with Forged Ring or Tong with 3/8 Swivel Grab Hook in sizes 3/4 and 1 inch and 1/2 Forged Swivel Grab in size 1-1/4.

Dixie Industries Skidding Tongs - Swivel Grab		
Catalog No.	Diameter & Max Opening (in.)	Ring Size (lbs.)
40004	3/4 X 16	3/8
42314	1 X 20	3/8
40224	1 X 25	3/8
40454	1 1/4 X 32	1/2



Dixie Industries Skidding Tongs - Logger Style		
Catalog No.	Diameter & Max Opening (in.)	Ring Size (lbs.)
42815	1 X 14	3/4
42805	1 1/4 X 16	7/8
42825	1 1/2 X 22	1